


Go Further























NEW FORD RANGER
FOR EVERY LIFESTYLE



Packed with Ford's latest innovations, Ranger delivers where other tough trucks don't. Ranger comes with many first and only in-class features never before seen in a pickup truck.

First and only in-class 2.0L Bi-Turbo Diesel Engine which makes it the smallest yet most powerful engine in a truck.

First and only in-class 10-Speed Transmission giving the Ranger improved performance and fuel efficiency.

First and only in-class Autonomous Emergency Braking (AEB) detects pedestrians and vehicles in front of the truck, and alerts you with an audible warning. If you fail to react, it can automatically apply the brakes.

First and only in-class Forward Collison Warning detects a potential collision which triggers an audible warning and pre-charges and increases brake assist sensitivity to provide full responsiveness when you brake.

First and only in-class Lane Departure Warning vibrates the steering wheel if you unintentionally move out of your lane. If you still don't react, Lane Keeping Aid steers you back on track.

First and only in-class Semi-Automatic Parallel Parking (SAPP) scans available parking spots and practically parks itself.

First and only in-class Adaptive Cruise Control scans traffic and adjusts speed automatically. When traffic slows down, Ranger slows down too. When traffic clears, Ranger returns to your pre-set speed.

First and only in-class Easy Lift Tailgate incorporates a torsion bar to make lifting and lowering the tailgate effortless. Makes light work of big loads.



A REVOLUTION IN PERFORMANCE

Ranger's cutting-edge powertrain technology delivers the power and torque you need, without compromising efficiency.

10-Speed Automatic Transmission. First and only in-class transmission technology offers improved acceleration and more accurate, swifter gear changes.

2.0L Bi-Turbo

First and only in-class 2.0L Bi-Turbo diesel engine is a stroke of genius. Two turbochargers work independently to deliver extra power on demand, and best-in-class fuel efficiency.

Torque - 500 Nm

2.0L Si-Turbo

Like its Bi-Turbo sibling, the 2.0L Single Turbo diesel engine offers impressive power, torque, and fuel savings. It also brings improved noise levels.

Power - 180 PS

Torque - 420 Nm

2.2L TDCI Diesel Engine

More power. Greater torque. Ranger's upgraded 4-cylinder 2.2L TDCI diesel engine pumps out the extra power you need to conquer any task.

Power - 160 PS

Torque - 385 Nm





INTELLIGENT DESIGN

The new, smarter Ranger delivers the durability and functionality you need to take on the world.

Looks the part. With bold new grille and front bumper, Ranger is more muscular than ever.

Shines bright. HID Headlights, Daytime Running Lights and LED Fog Lamps help you see the road ahead clearly, and make you more visible to other drivers. Plus, a cargo tray light gives you extra illumination when loading and unloading.

Powers up. We've also included a 230V outlet in the cabin, to charge your phone or plug in equipment virtually anywhere.



MEET YOUR CO-DRIVER

Work smarter. Play harder. Stay connected. Pair your smartphone to SYNC®3 to make calls, select music, and use your apps while you're on the move. Totally hands-free.

The 8-inch touchscreen display unit with Bluetooth, voice recognition and navigation supports smartphone-like functionalities, including swipe and pinch-to-zoom. Plus 2 USB ports and 6 Speakers make travelling in a Ranger a pleasure.

Real talk. The upgraded SYNC®3 system understands over 10,000 natural voice commands. So you can control SYNC®3 functions using just your voice.

Apple CarPlay, Android Auto and AppLink™ seamlessly connect to SYNC®3, allowing you to use your favorite apps on-the-go. Such as having your Waze navigation on the screen.

More intuitive. More functional, Easier to use. SYNC®3 brings next-level connectivity to your busy life.



BUILT FOR BIG THINGS

Ranger's high-strength chassis, torque-mighty engines, and superior suspension help you tow, haul and move with ease. From river crossing to challenging off-road terrain, Ranger is ready for anything.

Get loaded. Ranger's unbeatable 3500 kg towing capacity and 1000 kg payload let you handle big loads with complete confidence.

Rock-solid chassis. Ranger combines an ultra-high-strength steel chassis and a superior suspension design for smoother ride.

Unbeatable 800mm Water Wading means a river can't come between you and the task at hand.

237mm Ground Clearance helps you get to more places with greater ease.

4x4 Shift-On-The-Fly lets you shift between 2WD and 4WD High mode and Low mode on-the-go.

Tested in the real world. Ranger has survived harsh torture tests in the toughest climates and terrains.











WHEN THE GOING GETS ROUGH...

...Ranger's spacious and thoughtfully designed cabin keeps you in the comfort zone, no matter where the job finds you.

Take the rugged with smooth. Inside Ranger, the priority is space, comfort, and functionality. Controls are in plain sight and easy reach.

Get in. Stretch out. Ranger's comfortable seats are positioned for extra legroom. Larger doors and a smart positioning of the rear pillar in the Ranger Double Cab make it easier to get in and out.

Noise, Vibration, and Harshness (NVH) have been improved, without compromising payload or towing capacity.

Ranger's enhanced suspension system improves ride, steering, and handling.

Dual-Zone Electronic Automatic Temperature Control allows the driver and passenger to choose individual temperature settings. So everyone rides in comfort.

Specification Sheet for Ranger (XL)

		2.2L XL Manual	2.2L XL Automatic	2.2L XL Manual
		4x4 High Rider	4x4 High Rider	4x4 High Rider Single Cab
ENGINE				
Туре		Diesel (I4) with VGT	Diesel (I4) with VGT	Diesel (I4) with VGT
Displacement	c.c.	2198	2198	2198
Power kW (PS) @ rpm	118 (160) @ 3200	118 (160) @ 3200	118 (160) @ 3200
Torque	Nm @ rpm	385 @ 1600 - 2600	385 @ 1600 - 2600	385 @ 1600 - 2600
Fuel Supply System		Commonrail Direct Injection	Commonrail Direct Injection	Commonrail Direct Injection
TRANSMISSION & CHASSIS				
Transmission Type		6-Speed Manual	6-Speed Automatic	6-Speed Manual
Electronic Shift-on-the-fly (ESOF)		Standard	Standard	Standard
Front Suspension		Double Wishbone with Coil Spring	Double Wishbone with Coil Spring	Double Wishbone with Coil Spring
Rear Suspension		Leaf Spring	Leaf Spring	Leaf Spring
Front Brake		Ventilated Disc	Ventilated Disc	Ventilated Disc
Rear Brake		Drum	Drum	Drum
Differential Type		Limited Slip Diferential	Limited Slip Diferential	Limited Slip Diferential
Steering System		Rack & Pinion	Rack & Pinion	Rack & Pinion
Tyres & Wheels		255/70 R16, Alloy	255/70 R16, Alloy	255/70 R16, Alloy
DIMENSIONS				
Overall Length	(mm)	5426	5426	5362
Overall Width (Exclude Side Mirror)	(mm)	1860	1860	1860
Overall Height	(mm)	1848	1848	1821
Wheelbase	(mm)	3220	3220	3220
Ground Clearance	(mm)	237	237	237
Front Track	(mm)	1560	1560	1560
Rear Track	(mm)	1560	1560	1560
Cargo Bed Length	(mm)	1549	1549	2317
Cargo Bed Width	(mm)	1560	1560	1560
Cargo Bed W.Whl Arch	(mm)	1139	1139	1139
Cargo Bed Open T/Gate	(mm)	1330	1330	1330
Cargo Bed Loading Height	(mm)	801	801	801
Cargo Bed Depth	(mm)	511	511	511
Kerb Weight	(kg)	2082	2102	1931
Gross Weight	(kg)	3200	3200	3200
Fuel Tank Capacity	(Litres)	80	80	80
EXTERIOR FEATURE				
Front Grille		Black	Black	Black
Bumpers		Body Coloured	Body Coloured	Body Coloured
Headlamps with Manual Leveling		Halogen	Halogen	Halogen
Daytime Running Light (DRL)		Standard	Standard	Standard
Fog Lamps		Front & Rear	Front & Rear	Front & Rear
Wiper System		Manual	Manual	Manual
Wing Mirror		Power Adjustable & Manual Foldable	Power Adjustable & Manual Foldable	Power Adjustable & Manual Foldable
Side Steps		Standard	Standard	Standard
Bedliner		Standard	Standard	Standard
Rear Parking Sensor		Standard	Standard	Standard
Cargo LED Light		Standard	Standard	Standard
NTERIOR FEATURE				
Steering Wheel		Urethane with Control Switches	Urethane with Control Switches	Urethane with Control Switches
Power Assisted Steering		Electric (EPAS)	Electric (EPAS)	Electric (EPAS)
Audio System		Audio Headunit with USB & 4 Speakers	Audio Headunit with USB & 4 Speakers	Audio Headunit with USB & 2 Speaker
Rear View Mirror		Standard	Standard	Standard
Climate Control		Manual	Manual	Manual
2V Socket (Front)		Standard	Standard	Standard
Power Windows		Standard with Driver 1-Touch Down	Standard with Driver 1-Touch Down	Standard with Driver 1-Touch Down
Driver Seat		2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat
Passenger Seat		2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat
Seat Material		Fabric	Fabric	Fabric

		2.2L XL Manual	2.2L XL Automatic	2.2L XL Manual
		4x4 High Rider	4x4 High Rider	4x4 High Rider Single Cab
SAFETY & SECURITY				
Airbags (Driver & Front Passenger)		Standard	Standard	Standard
Immobilizer		Standard	Standard	Standard
ISOFIX		Standard	Standard	Standard
Antilock Braking System (ABS)		Standard	Standard	Standard
Electronic Brake Force Distribution (EB	3D)	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control		Standard	Standard	Standard
Emergency Brake Assist (EBA)		Standard	Standard	Standard
Hill Descent Control (HDC)		Standard	Standard	Standard
Hill Launch Assist (HLA)		Standard	Standard	Standard
Rollover Mitigation (ROM)		Standard	Standard	Standard
Trailer Sway Control (TSC)		Standard	Standard	Standard
Adaptive Load Control (ALC)		Standard	Standard	Standard
STRENGTH & BREADTH OF CA	PABILITIE	s		
Cargo Bed Volumetric Capacity	(cu.mtr)	1,18	1,18	1,8
Maximum Payload	(kg)	Up to 1000	Up to 1000	Up to 1000
Towing Capacity	(kg)	Up to 3500	Up to 3500	Up to 3500
Water Wading Depth	(mm)	800	800	800
Angle of Approach (Curb)	(degree)	29,4	29.4	29,4
Angle of Departure (Curb)	(degree)	22	22	22
Rampover Angle (Curb)	(degree)	21,5	21,5	21,5

COLOR







Meteor Grey



Aluminum Metallic

Specification Sheet for Ranger (XLT)

		2.2L XLT Manual	2.2L XLT Automatic	2.0L XLT Plus Automatic
		4x4 High Rider	4x4 High Rider	4x4 High Rider
ENGINE				
Туре		Diesel (I4) with VGT	Diesel (I4) with VGT	Diesel (I4) with VGT
Displacement	c.c.	2198	2198	1996
Power I	(W (PS) @ rpm	118 (160) @ 3200	118 (160) @ 3200	132.4 (180) @ 3500
Torque	Nm @ rpm	385 @ 1600 - 2600	385 @ 1600 - 2600	420 @ 1750 - 2500
Fuel Supply System		Commonrail Direct Injection	Commonrail Direct Injection	Commonrail Direct Injection
TRANSMISSION & CHASSI	S			
Fransmission Type		6-Speed Manual	6-Speed Automatic	10-Speed Automatic with SelectShift
Electronic Shift-on-the-fly (ESOF))	Standard	Standard	Standard
Front Suspension		Double Wishbone with Coil Spring	Double Wishbone with Coil Spring	Double Wishbone with Coil Spring
Rear Suspension		Leaf Spring	Leaf Spring	Leaf Spring
ront Brake		Ventilated Disc	Ventilated Disc	Ventilated Disc
Rear Brake		Drum	Drum	Drum
Differential Type		Limited Slip Differential	Limited Slip Differential	Limited Slip Differential
Steering System		Rack & Pinion	Rack & Pinion	Rack & Pinion
yres & Wheels		265/65 R17, Alloy	265/65 R17, Alloy	265/60 R18, Alloy
DIMENSIONS				
Overall Length	(mm)	5426	5426	5426
Overall Width (Exclude Side Mirro	r) (mm)	1860	1860	1860
Overall Height	(mm)	1848	1848	1848
Vheelbase	(mm)	3220	3220	3220
Ground Clearance	(mm)	237	237	237
ront Track	(mm)	1560	1560	1560
Rear Track	(mm)	1560	1560	1560
Cargo Bed Length	(mm)	1549	1549	1549
argo Bed Width	(mm)	1560	1560	1560
Cargo Bed W.Whl Arch	(mm)	1139	1139	1139
Cargo Bed Open T/Gate	(mm)	1330	1330	1330
Cargo Bed Loading Height	(mm)	801	801	801
Cargo Bed Depth	(mm)	511	511	511
Kerb Weight	(kg)	2082	2102	2090
Gross Weight	(kg)	3200	3200	3200
Fuel Tank Capacity	(Litres)	80	80	80
EXTERIOR FEATURE				
Front Grille		Chrome	Chrome	Chrome
Bumpers		Body Coloured	Body Coloured	Body Coloured
Headlamps with Manual Leveling		Automatic Halogen Projector	Automatic Halogen Projector	Automatic HID Projector
Daytime Running Light (DRL)		Standard	Standard	LED
- Fog Lamps		Front & Rear	Front & Rear	Front & Rear
Wiper System		Rain Sensing	Rain Sensing	Rain Sensing
Wing Mirror		Power Adjustable & Foldable with Turning Indicators	Power Adjustable & Foldable with Turning Indicators	Power Adjustable & Foldable with Turning Indicators
Side Steps		Standard	Standard	Standard
Bedliner		Standard	Standard	Standard
Sport Bar		Standard	Standard	Standard
ear Parking Sensor		Standard	Standard	Standard
asy Lift Tailgate		-	-	Standard
argo LED Light		Standard	Standard	Standard
NTERIOR FEATURE				
ruise Control		Standard	Standard	Standard
Steering Wheel		Leather with Control Switches	Leather with Control Switches	Leather with Control Switches
Power Assisted Steering		Electric (EPAS)	Electric (EPAS)	Electric (EPAS)
Audio System		4.2" Audio Headunit with Bluetooth, Voice Recognition, USB & 6 Speakers	4.2" Audio Headunit with Bluetooth, Voice Recognition, USB & 6 Speakers	8" Touchscreen Display Headunit with Bluet Voice Recognition, 2x USB & 6 Speakers
SYNC®		SYNC®1	SYNC®1	SYNC®3
Apple CarPlay & Android Auto		SYNC∞I	SYNC®I	Support
ADDIC COLLICY & ALIUIUIU AULU		-		Support

	2,2L XLT Manual	2.2L XLT Automatic	2.0L XLT Plus Automatic
	4x4 High Rider	4x4 High Rider	4x4 High Rider
INTERIOR FEATURE			
Rear View Mirror	Auto Dimming	Auto Dimming	Auto Dimming
Climate Control	Manual	Manual	Automatic Dual Zone
12V Socket (Front)	Standard	Standard	Standard
Power Windows	Standard with Driver 1-Touch Down	Standard with Driver 1-Touch Down	Standard with Driver 1-Touch Down
Oriver Seat	4-Way Manual Adjustable Seat	4-Way Manual Adjustable Seat	4-Way Manual Adjustable Seat
Passenger Seat	2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat
Seat Material	Premium Fabric	Premium Fabric	Leather
Remote Central Locking	Standard	Standard	Standard
Keyless Entry with Push-Start Button (PEPS)	-	-	Standard
SAFETY & SECURITY			
Airbags (Driver & Front Passenger)	Standard	Standard	Standard
Rear View Camera	Standard	Standard	Standard
Volumetric Burglar Alarm System	Standard	Standard	Standard
Immobilizer	Standard	Standard	Standard
ISOFIX	Standard	Standard	Standard
Antilock Braking System (ABS)	Standard	Standard	Standard
Electronic Brake Force Distribution (EBD)	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard
Emergency Brake Assist (EBA)	Standard	Standard	Standard
Hill Descent Control (HDC)	Standard	Standard	Standard
Hill Launch Assist (HLA)	Standard	Standard	Standard
Rollover Mitigation (ROM)	Standard	Standard	Standard
Trailer Sway Control (TSC)	Standard	Standard	Standard
Adaptive Load Control (ALC)	Standard	Standard	Standard
MyKey®	-	-	Standard
STRENGTH & BREADTH OF CAPABIL	ITIES		
Cargo Bed Volumetric Capacity (cu.	ntr) 1.18	1.18	1,18
Maximum Payload	(kg) Up to 1000	Up to 1000	Up to 1000
Towing Capacity	(kg) Up to 3500	Up to 3500	Up to 3500
Water Wading Depth (I	nm) 800	800	800
Angle of Approach (Curb) (deg	ree) 29.4	29.4	29.4
Angle of Departure (Curb) (deg	ree) 22	22	22
Rampover Angle (Curb) (deg	ree) 21.5	21.5	21.5

COLOR



Aluminum Metallic





Frozen White



Magnetic



Absolute Black

Specification Sheet for Ranger (Wildtrak)

		2.0L Wildtrak Automatic	2.OL Wildtrak Automatic
		4x2 High Rider	4x4 High Rider
ENGINE	,		
Гуре		Diesel (I4) with VGT	Diesel (I4) with Bi-Turbo
Displacement	c.c.	1996	1996
Power	kW (PS) @ rpm	132,4 (180) @ 3500	156.7 (213) @ 3750
Torque	Nm @ rpm	420 @ 1750 - 2500	500 @ 1750 - 2000
Fuel Supply System		Commonrail Direct Injection	Commonrail Direct Injection
TRANSMISSION & CHASS	ilS		
Transmission Type		10-Speed Automatic with SelectShift	10-Speed Automatic with SelectShift
Electronic Shift-on-the-fly (ESOF	=)	_	Standard
Front Suspension	,	Double Wishbone with Coil Spring	Double Wishbone with Coil Spring
Rear Suspension		Leaf Spring	Leaf Spring
Front Brake		Ventilated Disc	Ventilated Disc
Rear Brake		Drum	Drum
Differential Type		e-Locking Rear Differential	e-Locking Rear Differential
Steering System		e-Locking Rear Differential Rack & Pinion	e-Locking Rear Differential Rack & Pinion
Tyres & Wheels		265/60 R18, Alloy	265/60 R18, Alloy
		2007 OU RIO, Alluy	203/00 RTG, ALLOY
DIMENSIONS	()	F/36	F/26
Overall Length	(mm)	5426	5426
Overall Width (Exclude Side Mirr		1860	1860
Overall Height	(mm)	1848	1848
Wheelbase	(mm)	3220	3220
Ground Clearance	(mm)	237	237
Front Track	(mm)	1560	1560
Rear Track	(mm)	1560	1560
Cargo Bed Length	(mm)	1549	1549
Cargo Bed Width	(mm)	1560	1560
Cargo Bed W.Whl Arch	(mm)	1139	1139
Cargo Bed Open T/Gate	(mm)	1330	1330
Cargo Bed Loading Height	(mm)	801	801
Cargo Bed Depth	(mm)	511	511
Kerb Weight	(kg)	2090	2156
Gross Weight	(kg)	3200	3200
Fuel Tank Capacity	(Litres)	80	80
EXTERIOR FEATURE	'	,	
Front Grille		Wildtrak Scheme	Wildtrak Scheme
Bumpers		Body Coloured	Body Coloured
Headlamps with Manual Leveling	g	Automatic HID Projector	Automatic HID Projector
Daytime Running Light (DRL)		LED	LED
og Lamps		Front LED & Rear	Front LED & Rear
Viper System		Rain Sensing	Rain Sensing
		9	
Wing Mirror		Power Adjustable & Foldable, Puddle Lamps with Turning Indicators	Power Adjustable & Foldable, Puddle Lamps with Turning Indicators
Side Steps		Standard	Standard
Bedliner		Standard	Standard
Sport Bar		Standard	Standard
Front Parking Sensor		Standard	Standard
Rear Parking Sensor		Standard	Standard
Roof Rails		Standard	Standard
2V Socket (Cargo Bed)		Standard	Standard
Easy Lift Tailgate		Standard	Standard
Cargo LED Light		Standard	Standard
NTERIOR FEATURE			
Cruise Control		Standard	Adaptive
		Leather with Control Switches	Leather with Control Switches
Steering Wheel			
Steering Wheel Power Assisted Steering		Electric (EPAS)	Electric (EPAS)

	2.0L Wildtrak Automatic	2.0L Wildtrak Automatic
	4x2 High Rider	4x4 High Rider
NTERIOR FEATURE		
SYNC®	SYNC®3	SYNC®3
Apple CarPlay & Android Auto	Support	Support
Rear View Mirror	Auto Dimming	Auto Dimming
Climate Control	Automatic Dual Zone	Automatic Dual Zone
2V Socket (Front)	Standard	Standard
Power Windows	Standard with Driver 1-Touch Up/Down	Standard with Driver 1-Touch Up/Down
river Seat	8-Way Power Adjustable Seat	8-Way Power Adjustable Seat
assenger Seat	2-Way Manual Adjustable Seat	2-Way Manual Adjustable Seat
eat Material	Wildtrak Premium Leather	Wildtrak Premium Leather
emote Central Locking	Standard	Standard
eyless Entry with Push-Start Button (PEPS)	Standard	Standard
Active Noise Cancellation	-	Standard
FT Cluster Display	Dual 4"	Dual 4"
Cooled Console	Standard	Standard
230V AC Outlet (150W)	Standard	Standard
SAFETY & SECURITY		
Airbags (Driver & Front Passenger)	Standard	Standard
Airbags (Sides & Curtains)	Standard	Standard
Rear View Camera	Standard	Standard
- ailgate Lock	Standard	Standard
olumetric Burglar Alarm System	Standard	Standard
nmobilizer	Standard	Standard
SOFIX	Standard	Standard
Antilock Braking System (ABS)	Standard	Standard
lectronic Brake Force Distribution (EBD)	Standard	Standard
electronic Stability Control (ESC) with Traction Control	Standard	Standard
mergency Brake Assist (EBA)	Standard	Standard
fill Descent Control (HDC)	<u>-</u>	Standard
lill Launch Assist (HLA)	Standard	Standard
ollover Mitigation (ROM)	Standard Standard	Standard Standard
Trailer Sway Control (TSC)	 	Standard
Adaptive Load Control (ALC)	Standard	Standard
Forward Collision Warning (FCW)	-	Standard
ane Departure Warning & Assist	<u>-</u>	Standard
semi Automatic Parallel Parking (SAPP) Autonomous Emergency Braking (AEB) with Vehicle & Pedestrian Detection	- -	Standard Standard
/lyKey®	Standard	Standard
STRENGTH & BREADTH OF CAPABILITIES		
argo Bed Volumetric Capacity (cu.mtr)	1.18	1.18
flaximum Payload (kg)	Up to 1000	Up to 1000
owing Capacity (kg)	Up to 3500	Up to 3500
Vater Wading Depth (mm)	800	800
Angle of Approach (Curb) (degree)	29.4	29.4
Angle of Departure (Curb) (degree)	22	22
Rampover Angle (Curb) (degree)	21.5	21.5











Frozen White

Magnetic

Absolute Black

Saber









BUILT QUALITY, GREEN, SAFE AND SMART

Business and Commercial Fleet Customers?

The Ford portfolio of products is growing rapidly across the Asia Pacific Region, see your local Ford dealer or call us for details today @ 1300383181

For more information visit www.sdacford.com.mv

Illustrations, descriptions and specifications. This catalogue was accurate at the time of going to print. However, Ford policy is one of continuous product development. The right is reserved to change specifications, colors and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer. **Optional equipment.** Throughout this publication, wherever a feature is described as being an 'Option' or 'Optional Fitment/Pack', etc., you shuld assume that it will be at extra cost to the base vehicle, unless specifically stated to the contary. All models and color combinations are subject to availability in the market. Note. Some images portrayed are of a pre-production model and/or are computer generated, therefore, the design/features on the final version of the vehicle may differ in various aspects. In addition, some of the features shown on the vehicles may be optional. **Note.** This brochure contains both original Ford accessories as well as a range of carefully selected products from our suppliers, which are featured under their own brands. All supplier branded products are subject to warranty terms defined by the relevant suppliers and do not lie within the responibility of Ford. Note. The Bluetooth® trademark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Ford Motor Company is under licence. Other trademarks and trade are those of their respective owners.

Authorised Dealer

2018/09